IF YOU... MIX IT. FILL IT. PACK IT. SHIP IT.

WE HAVE A PRODUCT FOR YOU

Electronic High Lift Pallet Jack, 21″ x 45″ (2,200 lbs.)

Product Category: Pallet Jacks & Pallet Trucks

Part #	26B460
Color	Yellow
Material	Steel
Weight	367 lbs.
Load Capacity	2,200 lbs.
Fork Width & Length	21″ x 45″
Raised Height	31″
Lowered Height	3.3″
Fork Width	6.5″

The CARY COMPANY Est. 1895

1195 W. Fullerton Ave. | Addison, IL 60101 | T: 630.629.6600 | F:630.629.3690 | TheCaryCompany.com

MODELS MANUFACTURED BEFORE 07/2008



Electric High Lift

- 1 Year pump warranty.
- Non–Telescoping model.
- 12 volt battery charger included.
- 10–12 second lift time unloaded.
- Overload bypass.
- Polyurethane wheels.
- 180 degree steering radius.
- Comfort coated handles.
- 6.5" wide forks.
- 6" moldon polyurethane steering wheels.
- 3" moldon polyurethane load wheels.

Specs

Capacity:	2,200 lbs
Fork length:	45"
Fork seperation:	21"
Fork width:	6.5"
Overall lenght:	60"
Lowered/Raised:	3.3"/31"
Handle height:	48.5"
Weight:	367 lbs

NOTE:
Noblelift (Units Manufactured Before 2008) shown on Pages 1–4
I–Lift (Units Manufactured Before 2008) shown on Pages 5–6

REPLACEMENT PARTS LIST

ITEM	PART NO.	DESCRIPTION	QTY.
KIT	273057	HANDLE ASSEMBLY (INCLUDES ITEMS 101–129)	1
101		RELEASE ROD	1
102		CHAIN	1
103		ADJUSTING BOLT	1
104		ADJUSTING NUT	1
105		AXLE WITH HOLE	1
106		ELASTIC PIN	2
107		BUSHING	2
108		ROLLER PIN	1
109		PRESSURE ROLLER	1
110		BUSHING	1
111		DRAW–BAR	1
112		PIN	4
113		SCREW	4
114		COVER	1
115		BALL	1
116		SPRING	1
117		PIN	1
118		HANDLE	1
119		PIN	1
120		CONTROLLING HANDLE	1
121		PULL BOARD	1
122		PIN	1
123		RUBBER BAND	1
124		SCREW	2
125		SOCKET SWITCH	1
126		SWITCH	1
127		SOCKET BUTTON	1
128		BUTTON	1
129		CONNECTOR PLUG	1

The CARY COMPANY Est. 1895

APP | ECN & DATE | REVISIONS | REV.

PART NAME: Electric High Lift

TOLERANCE UNLESS OTHERWISE SPECIFIED
FRACTION ± 1/64 | 3 PLACE DECIMAL ± .005 | 2 PLACE DECIMAL ± .01
ANGULAR ± 1-1/2° | SHEET 1 OF 6
BREAK ALL SHARP EDGES AND REMOVE ALL BURRS

DRAWN: | CHECKED: | APP. ENGR. | SCALE: | REV

MODELS MANUFACTURED BEFORE 07/2008



REPLACEMENT PARTS LIST

ITEM	PART NO.	DESCRIPTION	QTY.
201		FORK FRAME	1
202		BOLT	1
203		SCREW	2
204		GASKET	2
205		SCREW	2
206		PIN	2
207		BUSHING	2
208		ELASTIC COLLAR	10
209		LEFT LEG	2
210		BUSHING	2
211		PIN	2
212		CENTRIFUGAL AXLE	2
213		BUSHING	2
214		ELASTOMETRIC GASKET	2
215		NUT	2
216		INNER LEG	1
217			
218		ELASTIC COLLAR	4
219		SHAFT OF ROLLER	2
220			
221			
222	270093	ROLLER	2
223		STEEL ROLLER	4
224		GASKET	4
225	270092	BEARING	4

The CARY COMPANY Est. 1895

REV.	EDN & DATE	APP	REVISIONS

PART NAME: Electric High Lift

TOLERANCE UNLESS OTHERWISE SPECIFIED

FRACTION	3 PLACE DECIMAL	2 PLACE DECIMAL
± 1/64	± .005	± .01

ANGULAR ± 1-1/2° | SHEET 2 OF 6

BREAK ALL SHARP EDGES AND REMOVE ALL BURRS

DRAWN:
CHECKED:
APP. ENGR.
SCALE:
REV

MODELS MANUFACTURED BEFORE 07/2008



REPLACEMENT PARTS LIST			
ITEM	PART NO.	DESCRIPTION	QTY.
KIT	272471	COMPLETE REPLC'T PUMP (I-LIFT)	1
KIT	272479	COMPLETE REPLC'T PUMP (NOBLELIFT)	1
301		LOCKING RING	1
302		GASKET FOR SPRING	1
303		PISTON	1
304		SPRING	1
305		DUST RING	1
306		Y–RING	1
307		PUMP CYLINDER	1
308		O–RING	1
309		SEAL GASKET	1
310		SCREW PLUG	1
311		SCREW PLUG	1
312		O–RING	1
313		ADJUSTING BOLT	1
314		SPRING	1
315		SPINDLE OF SAFETY VALVE	1
316		ELASTIC PIN	1
317		LOWER CYLINDER	1
318		O–RING	1
319		O–RING	1
320		VALVE CARTRIDGE	1
321		NUT	1
322		SCREW	1
323		LEVER PLATE	1
324		PUMP BODY	1
325		CYLINDER	1
326		SEAL GASKET	1
327		BUSHING	1
328		SCREW COVER	1
329		O–RING	1
330		DUST RING	1
331		STEEL BALL	1
332		PISTON ROD	1
333		PISTON	1
334		CUP PACKING	1
335		O–RING	1
336		GASKET	1
337		ELASTIC COLLAR	1

The CARY COMPANY Est. 1895

REVISIONS			
REV.	EDN & DATE	APP	

PART NAME: Electric High Lift

DRAWN:
CHECKED:
APP. ENGR.
SCALE:

TOLERANCE UNLESS OTHERWISE SPECIFIED
FRACTION ± 1/64 | 3 PLACE DECIMAL ± .005 | 2 PLACE DECIMAL ± .01
ANGULAR ± 1-1/2°
SHEET 3 OF 6
BREAK ALL SHARP EDGES AND REMOVE ALL BURRS

REV

MODELS MANUFACTURED BEFORE 07/2008



REPLACEMENT PARTS LIST			
ITEM	PART NO.	DESCRIPTION	QTY.
401		SEAL GASKET	6
402		CONNECTOR	1
403		BOLT	3
404		NUT	2
405		OIL PIPE	1
406		CARVE TIE-IN	1
407		SEAL GASKET	1
408		SPRING	1
409		STEEL BALL	1
410		SEAT OF VALVE	1
411		SEAL GASKET	1
412		CONNECTOR	1
413	272500	BUSHING	1
414		SEAT OF BEARING	1
415		BEARING	1
416	272497	DUST COVER	2
417	272498	ELASTIC COLLAR	4
418	272499	BEARING	4
419	272501	WHEEL	4
420		HOLDING SITE FOR WHEEL	1
421		BOLT	1
422		BUSHING	2
423		THRUST PLATE	1
424		BUSHING	1
425		COVER	1
426		SCREW	2
427		OIL PIPE	1
428		NUT	2
429		CONNECTOR	1
430		MOTOR ASSEMBLY	1
431		BOLT	2
432		ELECTROMAGNETIC SWITCH	1
433		GASKET	2
434		NUT	2

REPLACEMENT PARTS LIST			
ITEM	PART NO.	DESCRIPTION	QTY.
435		SCREW	2
436		GASKET	2
437		MOTOR COVER	1
438			
439			
440		BATTERY COVER	1
441		NUT	4
442		SCREW	2
443		FUSE	1
444		FUSE CARRIER	1
445		BOLT	2
446		RUBBERBAND	2
447		CONNECTOR PLUG	1
448			
449		SCREW	2
450		FUSE CARRIER	2
451		FUSE	1
452		SCREW	2
453		SEAT OF VOLTAGE METER	1
454		VOLTAGE METER	1
455			
456		CIRCUIT MODULE	1
457			
458			
459			
460		SCREW	2
461		RUBBERBAND	2
462		SOCKET	1
463		SCREW	2
464	109102	BATTERY	1
465		SCREW	2
466		BAFFLE	1
467		BATTERY WIRES	2
	272472	CHARGER	1

The CARY COMPANY Est. 1895

REVISIONS		
REV.	ECN # DATE	APP

PART NAME: Electric High Lift

DRAWN:
CHECKED:
APP. ENGR.
SCALE:

TOLERANCE UNLESS OTHERWISE SPECIFIED
FRACTION ± 1/64 | 3 PLACE DECIMAL ± .005 | 2 PLACE DECIMAL ± .01
ANGULAR ± 1-1/2°
SHEET 4 OF 6
BREAK ALL SHARP EDGES AND REMOVE ALL BURRS

REV

MODELS MANUFACTURED AFTER 07/2008



REPLACEMENT PARTS LIST

ITEM	PART NO.	DESCRIPTION	QTY.
01	273728	FRONT WHEEL	2
02	272489	BALL BEARING	6
03		WASHER	6
04		SNAP RING	18
05		PIN	2
06		LEG	2
07	273658	SCREW	2
08		BUSH	2
10		BALL BEARING	4
11		LEG	1
12		CENTRIFUGAL AXLE	2
13		BUSH	2
14		WASHER	4
15		BUSH	2
16		NUT	2
17	272488	STEERING WHEEL	2
19		SCREW	2
20		NUT	1
21		SCREW	1
24		PIN	2
25		BUSH	2
27		BALL BEARING	1
28		SPACER	1
29		NUT	2
30		PIN	2
31		SNAP RING	2
32		PIN	2
33		SCREW	2
34		BUSH	2
35		HANDLE TUBE	1
36		NUT	3
37		EYE BOLT	1
40		CHAIN	1
41		CHAIN CONNECTOR	2
42		RELEASE ROD	1
43		SCREW	6
44		COVER	1
45		PIN	6
46		PIN	1
47		BALL	1
48		SPRING	1
49		RELEASE LEVER	1
51		HANDLE	1
52		RETAINING RING	1
53		WASHER	1
54		BALL BEARING	1
55		SNAP RING	1
56		SPACER	1
57		SPACER	1
58		FORK	1
60		HOOKING PLATE	1
61		SPACER	2
62		SPACER	2

REPLACEMENT PARTS LIST

ITEM	PART NO.	DESCRIPTION	QTY.
70		HOLD YOKE	1
71		BUSH	1
72		SNAP RING	1
73		BALL BEARING	1
74		BALL	42
75		WHEEL YOKE	1
76		SCREW	1
201		SCREW	2
203		FUSE BOX	1
204		NUT	4
205		SCREW	9
206		FUSE (150A)	1
207		FUSE (5A)	1
208		FUSE BOX	2
209		SCREW	4
211		COVER	1
212		PLATE	1
213		SCREW	4
214		BATTERY	1
215N		COVER	1
217		SCREW	1
218N	272599	RECHARGER	1
219		SPACER	2
220		NUT	2
221		OIL PIPE	1
222		SCREW	2
223		WASHER	4
224		ADJUSTING SCREW	1
225		SCREW	2
226		COVER	1
227		SCREW	2
228		PUMP	1
229		ADJUSTING SCREW	1
230	273655	SPACER	2
231	273656	NUT	2
232	273657	OIL PIPE	1
234		RELAY	1
235		WASHER	1
236-1		SWITCH	1
236-2		SWITCH BASE	1
237		SCREW	2
238-1		UP SWITCH	1
238-2		UP SWITCH BASE	1
239		SOCKET	1
240		VOLTAFE METER	1
241		BATTERY TERMINAL (-)	1
242		BATTERY TERMINAL (+)	1
244		ADJUSTING SCREW	1
245		WASHER	1
246		BALL	1
247		SPRING	1
248		ADJUSTING SCREW	1
249		WASHER	1
251		PLATE	1

REPLACEMENT ASSEMBLY LIST

301	273681	HANDLE ASSEMBLY (INCLUDES ITEMS #34, 35, 36, 37, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 51, 236-1, 236-2, 205, 237, 238-1 & 236-2)	1
302		WHEEL YOKE ASSEMBLY (INCLUDES ITEMS #02, 04, 17, 20, 75 & 76)	1
303		WHEEL ASSEMBLY (INCLUDES ITEMS #02 & 17)	2
304		FRONT WHEEL ASSEMBLY (INCLUDES ITEMS #01 & 02)	2
305		LEG ASSEMBLY (INCLUDES ITEMS #01, 02, 03, 04, 05, 06, 07, 08, 61 & 62)	2

The CARY COMPANY Est. 1895

APP	DSN & DATE	REVISIONS	REV.

PART NAME: Electric High Lift

DRAWN:

CHECKED:

APP. ENGR.

SCALE:

REV

TOLERANCE UNLESS OTHERWISE SPECIFIED

FRACTION	3 PLACE DECIMAL	2 PLACE DECIMAL
± 1/64	± .005	± .01

ANGULAR ± 1-1/2° SHEET 5 OF 6

BREAK ALL SHARP EDGES AND REMOVE ALL BURRS

MODELS MANUFACTURED AFTER 07/2008



REPLACEMENT PARTS LIST

ITEM	PART NO.	DESCRIPTION	QTY.
101		RETAINING RING	1
102		SPRING SEAT	1
103		SPRING	1
104		WIPER	1
105		Y-RING	1
106		PUMP	1
107		O-RING	1
108		PLUNGER	1
109		BALL	2
118		CYLINDER BUSH	1
119		O-RING	1
120		O-RING	1
121		SNAP RING	1
122		SPLIT RING	1
123		RUBBER SLEEVE	1
124		PENDULUM SLEEVE	1
125		SCREW	2
126		O-RING	3
127		SCREW	2
128		SPRING	2
129		BALL SEAT	2
130		PUMP HOUSING	1
133		CYLINDER	1
134		SCREW	1
135		SEAL RING	1
136		SCREW	1

REPLACEMENT PARTS LIST

ITEM	PART NO.	DESCRIPTION	QTY.
137		SCREW	1
138		PLATE	1
139		SPRING	1
140		RELEASE INDICATOR	1
141		O-RING	1
142		SPRING	1
143		VALVE INSERT	1
144		O-RING	4
145		BALL	1
146		RELEASE VALVE	1
147		SPRING	1
148		SEAL RING	1
149		SCREW	1
150		SNAP RING	1
151A		Y-RING	1
152A		O-RING	1
153A		O-RING	1
154A		PISTON	1
155A		PISTON ROD	1
156		SEAL RING	1
157		CYLINDER NUT	1
158		O-RING	1
159		SCRAPER RING	1
160		SCREW	1
161A		RETAINING RING	1

REPLACEMENT ASSEMBLY LIST

1901		PUMP ASSEMBLY (INCLUDES ITEMS #104, 105, 106, 107 & 108)	1
1902		VALVE INSERT ASSEMBLY (INCLUDES ITEMS #140, 141, 142, 143, 144, 145, 146, 147, 148 & 149)	2
1903		PISTON ROD ASSEMBLY (INCLUDES ITEMS #150, 151A, 152A, 153A, 154A, 155A & 161A)	2
1904		CYLINDER NUT ASSEMBLY (INCLUDES ITEMS #156, 157, 158 & 159)	2
	272471	COMPLETE REPLACEMENT PUMP (NOBLELIFT)	2

The CARY COMPANY Est. 1895

REVISIONS | REV. | EDN & DATE | APP

PART NAME: Electric High Lift

DRAWN:
CHECKED:
APP. ENGR.
SCALE:

TOLERANCE UNLESS OTHERWISE SPECIFIED
FRACTION ± 1/64 | 3 PLACE DECIMAL ± .005 | 2 PLACE DECIMAL ± .01
ANGULAR ± 1-1/2° | SHEET 6 OF 6
BREAK ALL SHARP EDGES AND REMOVE ALL BURRS

REV