


IF YOU...






MIX IT. FILL IT. PACK IT. SHIP IT.

WE HAVE A PRODUCT FOR YOU



Part #	30W28W
Neck Width	28mm
Neck Finish	28-410
Color	White
Material	PP




NOTES: (UNLESS OTHERWISE SPECIFIED)
 1. ALL DIMENSIONS ARE IN INCHES.
 2. TOLERANCE ON ALL DIMENSIONS IS ± 0.010 ".

#	00.00.00	-	--	PITCH (TPI): 6	# OF TURNS: 1-1/8	MATERIAL: POLYPROPYLENE
REV	DATE	DESCRIPTION	BY	DRAWING #:	28 - 410 - 62S	SCALE: 2 : 1
				DESCRIPTION:	FINE RIB / MATTE FINISH TOP	
				DRAWN BY: BEZ	DATE: 07.12.04	APPROVED BY: LRE REV: 2



Supplied By: **The Cary Company**
 Ph: 630-629-6600
www.thecarycompany.com



NOTES: (UNLESS OTHERWISE SPECIFIED)

1. ALL DIMENSIONS ARE IN INCHES
2. TOLERANCE ON ALL DIMENSIONS IS +/- .010 INCHES

PITCH: (TPI)	6	# OF TURNS/THRD	1 1/4	MATERIAL:	
DRAWING #	28-410 FINISH				
DESCRIPTION:	28-410-FINISH FOR PCI CLOSURES				
FILE:	28-410- FINISH.SLDDRW			SCALE:	1:1
DRAWN BY:	BEZ	DATE:	10-19-04	APPRVD BY:	REV.#:



Supplied By: **The Cary Company**
 Ph: 630-629-6600
www.thecarycompany.com



Supplied By: **The Cary Company**

Ph: 630-629-6600

www.thecarycompany.com

Product Name:	SureSeal®
Product Type:	One piece, three-ply coextruded liner.
Material:	Low density polyethylene skin top and bottom with foamed polyolefin core.
Composition:	Core and outer skin fusion. Closed cell foam core of LDPE is sandwiched within LDPE. This results in a chemically fused, single polymeric product.
Composition Benefits:	Symmetrical construction - either side serves as the liner face. Single polymeric product - no ply-separation.
Application:	Applications have provided positive sealing for foods, beverages, pharmaceuticals, cosmetics, industrial and household chemicals.
Compatibility:	SureSeal® is chemically inert, odorless, tasteless and dust-free. Good resistance to acids, alkalies, slow solvents, alcohols, oils and aqueous products. Poor resistance to active hydrocarbon solvents.
Performance Values:	Excellent sealability, resiliency and compression recovery. Excellent torque retention.
Thickness/Width:	Available in thickness of .030" (+/- .005") Widths from 1" to 36" (+/- .031")
Density:	24 < 28 lbs/ft ³
Color:	FDA approved white. Custom colors available upon request.
FDA Status:	Drug Master File #12831. This material complies with FDA regulation 177.1520(c)3.1 for food contact application.