



Freshness and Protection for Today's Packaging

# FoilSeal™ Technical Data Sheet

## .020" Pulp FS 3-19

Revision: FS319-07282014

<b>Product</b>	.020" Pulp FS 3-19																	
<b>Scope</b>	Two piece pulp backed heat induction foil innerseal that will provide an aggressive bond with clean peel removal from PET and PVC containers. (Not recommended for use on CPET. Easy access / "puncture foil" when wax bonded to pulp.)																	
<b>Composition</b>	<table border="1"> <thead> <tr> <th>Material</th> <th>Standard</th> <th>Metric</th> </tr> </thead> <tbody> <tr> <td>Backing</td> <td>.020"</td> <td>.508 mm</td> </tr> <tr> <td>Wax</td> <td>-</td> <td>-</td> </tr> <tr> <td>Foil</td> <td>.001"</td> <td>.0254mm</td> </tr> <tr> <td>Heat Seal</td> <td>.0005"</td> <td>.0127mm</td> </tr> </tbody> </table>	Material	Standard	Metric	Backing	.020"	.508 mm	Wax	-	-	Foil	.001"	.0254mm	Heat Seal	.0005"	.0127mm		
Material	Standard	Metric																
Backing	.020"	.508 mm																
Wax	-	-																
Foil	.001"	.0254mm																
Heat Seal	.0005"	.0127mm																
Adhesive or resin bonding layers not shown.																		
<b>FDA Status:</b> 21 CFR 177.1210	<b>Recommended Storage and Handling:</b> Refer to Website																	
<b>Drug Master File (DMF):</b> #4544	<b>EU / EP Reg.:</b>																	
<b>GTR Oxygen:</b> Essentially Zero	<b>MVTR:</b> Essentially Zero																	
<b>Print Location (if any):</b> Foil Layer and/or Heat Seal Layer																		

Selig materials are compliant with current USFDA Food allergen Guidelines.  
 Selig materials are compliant with California Proposition 65 labeling requirements.  
 Selig materials are compliant with limitation of heavy metals in packaging per CONEG & EU 94/62/EC, article 11.

MSDS's are not required as Selig is not a chemical manufacturer or distributor and our products are 'articles' intended for food packaging per 29 CFR 1910.1200 (HazCom).

The information contained within this product data bulletin is to be used as a general guide in determining which structures are offered for sealing to specific container materials. All of the information which we provide is reliable to the best of our knowledge, but the accuracy thereof is not guaranteed. We suggest that consumers determine suitability for their own application.

www.seligsealing.com

Corporate Headquarters  
 Selig Sealing Products, Inc.  
 342 E Wabash St  
 Forrest, IL 61741, USA  
 Phone: +1 (815) 785-2100  
 Fax: +1 (815) 657-7584

North American Sales  
 Selig Sealing Products, Inc.  
 184 Shuman Blvd., Suite 310  
 Naperville, IL 60563, USA  
 Phone: +1 (630) 922-3158  
 Fax: +1 (630) 922-8469

European Sales and Manufacturing  
 Selig UK, LTD 635-637 Ajax Avenue  
 Slough Trading Estate  
 Slough Berkshire SL14BH UK  
 Phone: +44 (0) 1753 773 000  
 Fax: +44 (0) 1753 773 111

Canadian Manufacturing  
 Selig Canada, ULC  
 145 Edward Street  
 Aurora, Ontario Canada, L4G 1W3  
 Phone: +1 (905) 727-0114  
 Fax: +1 (905) 727-8544

Swiss Manufacturing  
 Selig Switzerland LTD  
 Bahnhofstrasse 11  
 CH-8172 Niederglatt  
 Phone: +41 (0) 44 851 50 50  
 Fax: +41 (0) 44 851 50 51